

HAZARD STATEMENTS:

H200	Unstable explosives.	H304	May be fatal if swallowed and enters airways.
H201	Explosive; mass explosion hazard.	H310	Fatal in contact with skin.
H202	Explosive; severe projection hazard.	H311	Toxic in contact with skin.
H203	Explosive; fire, blast or projection hazard.	H312	Harmful in contact with skin.
H204	Fire or projection hazard.	H314	Causes severe skin burns and eye damage.
H205	May mass explode in fire.	H315	Causes skin irritation.
H220	Extremely flammable gas.	H317	May cause an allergic skin reaction.
H221	Flammable gas.	H318	Causes serious eye damage.
H222	Extremely flammable aerosol.	H319	Causes serious eye irritation.
H223	Flammable aerosol.	H330	Fatal if inhaled.
H224	Extremely flammable liquid and vapour.	H331	Toxic if inhaled.
H225	Highly flammable liquid and vapour.	H332	Harmful if inhaled.
H226	Flammable liquid and vapour.	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H228	Flammable solid.	H335	May cause respiratory irritation.
H240	Heating may cause an explosion.	H336	May cause drowsiness or dizziness.
H241	Heating may cause a fire or explosion.	H340	May cause genetic defects.
H242	Heating may cause a fire.	H341	Suspected of causing genetic defects.
H250	Catches fire spontaneously if exposed to air.	H350	May cause cancer.
H251	Self-heating; may catch fire.	H350i	May cause cancer by inhalation.
H252	Self-heating in large quantities; may catch fire.	H351	Suspected of causing cancer.
H260	In contact with water releases flammable gases which may ignite spontaneously.	H360	May damage fertility or the unborn child.
H261	In contact with water releases flammable gases.	H360d	May damage the unborn child.
H270	May cause or intensify fire; oxidiser.	H360Df	May damage the unborn child. Suspected of damaging fertility.
H271	May cause fire or explosion; strong oxidiser.	H360F	May damage fertility.
H272	May intensify fire; oxidiser.	H360FD	May damage fertility. May damage the unborn child.
H280	Contains gas under pressure; may explode if heated.	H360Fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H281	Contains refrigerated gas; may cause cryogenic burns or injury.	H361	Suspected of damaging fertility or the unborn child.
H290	May be corrosive to metals.	H361d	Suspected of damaging the unborn child.
H300	Fatal if swallowed.	H361f	Suspected of damaging fertility.
H301	Toxic if swallowed.	H361fd	Suspected of damaging fertility. Suspected of damaging an unborn child.
H302	Harmful if swallowed.	H362	May cause harm to breast fed children.
		H370	Causes damage to organs.

H371	May cause damage to organs.
H372	Causes damage to organs.
H373	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH001	Explosive when dry.
EUH006	Explosive with or without contact with air.
EUH014	Reacts violently with water.
EUH018	In use may form flammable/explosive vapour-air mixture.
EUH019	May form explosive peroxides.
EUH029	Contact with water liberates toxic gas.
EUH031	Contact with acids liberates toxic gas.
EUH032	Contact with acids liberates very toxic gas.
EUH044	Risk of explosion if heated under confinement.
EUH059	Hazardous to the ozone layer.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH070	Toxic by eye contact.
EUH071	Corrosive to the respiratory tract.
EUH201	Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.
EUH201A	Warning! Contains lead.
EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH203	Contains chromium (VI). May produce an allergic reaction.
EUH204	Contains isocyanates. May produce an allergic reaction.

EUH205	Contains epoxy constituents. May produce an allergic reaction.
EUH206	Warning! Do not use together with other products. May release dangerous gases (Chlorine).
EUH207	Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer. Comply with the safety instructions.
EUH208	Contains <name of sensitising substance>. May produce an allergic reaction.
EUH209	Can become highly flammable in use.
EUH209A	Can become flammable in use.
EUH210	Safety data sheet available on request.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

PRECAUTIONARY STATEMENTS:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211	Do not spray on an open flame or other ignition source.
P220	Keep/store away from clothing/combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P222	Do not allow contact with air.
P223	Keep away from any possible contact with water, because of violent reaction and possible flash fire.
P230	Keep wetted with.
P231	Handle under inert gas.
P231+P232	Handle under inert gas. Protect from moisture.
P232	Protect from moisture.
P233	Keep container tightly closed.
P234	Keep only in original container.
P235	Keep cool.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.

P244	Keep reduction valves free from grease and oil.
P250	Do not subject to grinding/shock/friction.
P251	Pressurised container: Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P262	Do not get in eyes, on skin, or on clothing.
P263	Avoid contact during pregnancy/while nursing.
P264	Wash...thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.
P282	Wear cold insulating gloves/face shield/eye protection.
P283	Wear fire/flame resistant/retardant clothing.
P284	Wear respiratory protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301	IF SWALLOWED:
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.
P301+P312	IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.
P301+P330	IF SWALLOWED: Rinse mouth.

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P301+P331	IF SWALLOWED: Do NOT induce vomiting.
P302	IF ON SKIN:
P302+P334	IF ON SKIN: Immerse in cool water/wrap in wet bandages.
P302+P350	IF ON SKIN: Gently wash with plenty of soap and water.
P302+P350+P310	IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTRE or doctor/physician.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303	IF ON SKIN (or hair):
P303+P361+P353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304	IF INHALED:
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P304+P340+P310	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305	IF IN EYES:
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P306	IF ON CLOTHING:
P306+P360	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P307	IF EXPOSED:
P307+P310	IF EXPOSED: Immediately call a POISON CENTRE or doctor/physician.
P307+P311	IF EXPOSED: Call a POISON CENTRE or doctor/physician.
P308	IF EXPOSED or concerned:
P308+P313	IF EXPOSED or concerned: Get medical advice/attention.
P309	IF EXPOSED or if you feel unwell:
P309+P310	IF EXPOSED or if you feel unwell: Immediately call a POISON CENTRE or doctor/physician.
P309+P311	IF EXPOSED or if you feel unwell: Call a POISON VENTRE or doctor/physician.
P310	Immediately call a POISON CENTRE or doctor/physician.
P311	Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P313	Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P315	Get medical advice/attention.
P320	Specific treatment is urgent (see....on this label).
P321	Specific treatment is urgent (see....on this label).
P322	Specific measures (see....on this label).
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P332	If skin irritation occurs:
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333	If skin irritation or rash occurs:
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.

P334	Immerse in cool water/wrap in wet bandages.
P335 P335+P334	Brush off loose particles from skin. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
P336	Thaw frosted parts with lukewarm water. Do not rub affected area.
P337 P337+P313	If eye irritation persists: If eye irritation persists: Get medical advice/attention.
P338	Remove contact lenses, if present and easy to do. Continue rinsing.
P340	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P341	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342 P342+P311	If experiencing respiratory symptoms: If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician.
P350	Gently wash with plenty of soap and water.
P351	Rinse cautiously with water for several minutes.
P352	Wash with plenty of soap and water.
P353	Rinse skin with water/shower.
P360	Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P361	Remove/take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370 P370+P376	In case of fire: In case of fire: stop leak if safe to do so.

P370+P378 P370+P380 P370+P380+P375	In case of fire: Use....for extinction. In case of fire: Evacuate area. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
P371	In case of major fire and large quantities:
P371+P380+P375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
P372 P373	Explosion risk in case of fire. DO NOT fight fire when fire reaches explosives.
P374	Fight fire with normal precautions from a reasonable distance.
P375	Fight fire remotely due to the risk of explosion.
P376 P377	Stop leak if safe to do so. Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P378 P380 P381	Use....for extinction. Evacuate area. Eliminate all ignition sources if safe to do so.
P390	Absorb spillage to prevent material damage.
P391 P401 P402 P402+P404	Collect spillage. Store..... Store in a dry place. Store in a dry place. Store in a closed container.
P403 P403+P233	Store in a well ventilated place. Store in a well ventilated place. Keep container tightly closed.
P403+P235	Store in a well ventilated place. Keep cool.
P404 P405 P406	Store in a closed container. Store locked up Store in corrosive resistant container with a resistant inner liner.

P407	Maintain air gap between stacks/pallets.
P410	Protect from sunlight.
P410+P235	Keep cool. Protect from sunlight.
P410+P403	Protect from sunlight. Store in a well ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F
P411	Store at temperatures not exceeding.....°C
P411+P235	Store at temperatures not exceeding.....°C. Keep cool.
P412	Do not expose to temperatures exceeding 50°C/122°F
P413	Store bulk masses greater than kg lbs at temperatures not exceeding.....°C
P420	Store away from other materials.
P422	Store contents under.....
P501	Dispose of contents/container to.....
P410+P235	Keep cool. Protect from sunlight.